HEXCEL



May 28, 1990

Bureau of Permits Administration Water Quality Management Element Division of Water Resources 401 E. State Street CN-029 Trenton, NJ 08625

Re: Application for NJDPES/DGW Permit

To whom it may concern:

Please find enclosed forms CP-1, WQM-1, and WQM-2, and attachments which are submitted in application for Discharge to Ground Water (DGW) Permit. This permit is requested for the former Hexcel facility in Lodi, New Jersey, currently owned and operated by Fine Organics Corporation, in response to the requirements of ECRA Case No. 86009.

The DGW permit requirement has been imposed by the NJDEP because of elevated levels of chemicals in the ground water underlying the facility indicated that there have been accidental discharges in the past. We emphasize that no future discharges to ground water are proposed as part of this permit application. Because we are not proposing to discharge to the ground water, a number of items in this application do not apply to this case and have been intentionally left blank.

A significant amount of data regarding the quality of ground water and soil has been generated in response to ECRA requirements. Two reports containing this information have been submitted to the NJDEP. Please contact Case Manager Steve Maybury for these reports. These reports also contain site-specific geologic information.

The BEECRA department of the NJDEP has indicated that a limited amount of time will be allowed for implementation of remediation

Bureau of Permits Administration May 28, 1990 Page 2

activities at the facility, and in order that we may comply with their schedule, we request your expedience in reviewing this permit application. Please do not hesitate to call if you have any questions concerning this application.

Sincerely yours,

A. William Nosil

Corporate Environmental Engineering Manager

AWN\1r

cc: Steve Maybury, NJDEP

Jim Higdon, Fine Organics Corporation

Frank D'Ascensio, PVSC

NOI

#### NEW JERSEY POLLUTANT DISCHARGE ELIMINATION SYSTEM SUPPLEMENT TO THE STANDARD APPLICATION FORM CP #1



#### APPLICATION TO DISCHARGE WASTEWATERS AND RESIDUALS TO THE STATES LAND AND WATER

Answer all questions. Please print or type.

1. Circle the letter(s) for those disch (Seasonal facility operation shall	be considered	i as a present	operation.)		
In the space provided, indicate in the space provided, indicate	e if there is an	existing NJP	DES or NJPDES permit	for each circled act isting" source, or a '	ivity (yes/no). Yenewai <sup>m</sup> of a
current permit.			•		
DISCHARGE ACTIVITY		YES/NO	YEM, EXISTING, REVENUE		
estewater facility Hanagement					•
A. Sanitary Surface Nater Discharge B. Industrial/Connercial Surface Nater Di 84. General Permit Fuel Cleanup C. Thermal Surface Nater Discharge CG. General Permit Hon-Contact Cooling Nat D. Land Application of Sludge and Septage P. Soray Irrigation — Samitary Q. Overland Flow — Samitary R. Infiltration/Percolation Lagoon — Samitary T. Underground Injection (UIC) — Samitary T. Underground Injection (UIC) — Samitary V. Sludge Processing/Distribution Facility Underground Injection (UIC) — Samitary L. Residuals Iransfer Facilities (Sludge L. Humicipal Solid Naste Iransfer Facility S. Residuals Infiltration/Percolation La Residuals Surface Inpoundment S. Group I — Stormater Amodif SG. General Permit Industrial Site Storm	itary  y  ty  goon  Kater Runoff		Nev		
6. Group II - General Permit Stormater Ground Mater Quality	DAILES E				
E. Land Application of Industrial Haste E2_ In Situ Ireztment. F. Landfill - Industrial/Commercial Has G. Spray Irrigation - Industrial H. Overland Flow - Industrial I. Infiltration/Percolation Lagoon - In J. Surface Impoundment - Industrial K. Underground Injection (UIC) - Indust H. Subsurface Disposal - Industrial O. Landfill - Humicipality/Sanitary 7: Underground Storage Tanks	te distrial				
Other					
81. DPCC-DCR/BMP Plan 82. BMP Plan 83. DPCC/DCR/Plan U. Dredge Spoils X. Confidentiality Request Y. 316 Variance Hork 8. Other/Hiscellaneous 9. Master Performance Permits					·
2. Location of Discharge:	Lationde 40	0° 53'	Longitude	74°05¹	
-	Receiving Stre	am N/A			
	River Basin	4 -	•		

River Basin

DIVISION OF WATER RESOURCES

acility Name	FINE C	RGANICS CORPORATION		2.	D.E.P. ID No. (Official	Use Only)
)TW Usea		Manifes Cold ordin 2000	Sewer System Ov	vner Tn	satment Plant Owner	
	PVSC	المراجع	PVSC		PVSC	
		tiude: (See-Instructions)	Building Fines Design	None c. Line Or	mains	
	arge Locat	ment (For Each Discharge to	Building Floor Drains	Notice C. Line Of	awing	
OUTFALL		S. OPERATION CONTRIBUT	ING FLOW		C. TREATMENT	
eme or No.)		1. Operations (List)	2. Average Flow (Include Units)	1. Den	erietion	2. Codes From Table I
ound ter eatment 405041- 430-	Ground	Water Treatment Syst	em 6400 gpd	Air stripper,	Filtration, GAO	N/A-
. ·						
Intermittent		mplete if any discharge descr				
Name or No.)	OPER	ATIONS CONTRIBUTING FLOT	M FREQUENCY	DURATION	FLOW RATE	TOTAL VOLU
	Ground	Water Treatment Sys	stem Daily	7 hours	15 gpm	6400 gallo
					·	·
ı						
Maximum (	Production	A. Does an effluent of to your facility?	uideline limitation pro		ion 304 of the Federal	Act apply
Yes (C	omplete 70	the applicable effluent guide	line expressed in terms	of production (or ot	her measure of operation	
		i, list quantity which represent sent guideline.	its a reasonable measu:	re of school productio	n, in terms and units u	Dec
UANTITY P		UNITS OF MEASURE	OPERATIONS.	PRODUCT, MATERIA	. ETC. A	FECTED OUTFA
<del></del>					i i	

#### AFFLICATION FO ERMIT TO DISCHARGE TO A DOMESTIC REATMENT WORKS

wbtonewaya	يدين	piemer	nuntion achedi	ile for c	onstruction, upgi	reging or of	peretion of west	emater treat	ment equipm	ent
	or	prectic	es, or connec	tion to i	OTW.				· · · · · · · · · · · · · · · · · · ·	
IDENTIFICAT	ION OF		PECTED OUT			DESC	RIPTION		FINAL CON	IPLI. DAT
IDITION, AGRE	EMENT, ETC.	No.	Sour	E-9		VE			Required	Projecto
			}							
<del></del>		-							-	
									ŀ	
		┼	<del> </del>					<del></del>		
		1	1		1				İ	
<del></del>						·····	·			
		ļ				<del></del>		1710501	07/00	
ffluent Data ·	Part A	<b></b> -			Discl	rarge Point	(Name or No.)	1/40504	1-37430-0	71A
PARAMET		1			<b>,</b>		•	Ì		
- Constant with	port or moth						·			
lochemical Oxy	gen Demand	Rec	uest waiv	er -	Not applica	ble				
	_	1								
hemical Oxyger	n Demand	Rec	quest waiv	rer -	Not applica	ble				
innal Orannia Or										
otal Organic Ca	roon	800	0 mg/L							
otal Suspended	Solide								•	
		27	mg/L	<del> </del>			ļ			
Total Dissolved !	Solids	1,0	00/1		(Vatinated	from co	   pductivity	data)		•
	<del></del>	10	00 mg/L		(ESCIMALEG	TIOM CO	hadeelviey			
Ammonia (as N)		N/	A	*	}					
	<del></del>	-		<del></del>	<del> </del>					
lemberature (o	C) - Summer	25	°C							
101	<b>01</b> 1447			<del></del>						
(બ	C) - Winter	15	S°C							
pH (in standard	unisel		, .							
		N/	A				1			
Effluent Data	• Part B		<del> </del>							
OUTFALL (Nome or No.)	PA	RAMET	ren		REASON POLL	UTANT EXP	ECTED	AVAILAI	BLE QUANTIT	ATIVE DA
				1			·			<del></del>
	No signi	fican	t polluta	nts ex	pected foll	owing gr	ound water			
	treatmen	t sys	stem.			-				
				4		<del></del>				
	}							}		
				-}	·		<del></del>			
				1						
	<del>}</del>			<del></del>				<del> </del>		
				1				1		
	O and Oast O		ing on instance	rices (	eledo ell ettech		and in the in-		<del></del>	
Complete Part	Canomin D	SCOOT	ing to negati		idioo in Tuck	nand tedn	nagin piè ilitori	cupra.		

and all attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information,

I believe the submitted information is true, accurate and complete. I am aware that there are significant panalties for submitting

<u>taiss intermation, i</u>	ncludina	the accorditity o	t tine and im	<u>nrisonment.                                    </u>

A- William NOSII

- -----TWORKS

Effluent Data - Part C Effluent de not available. Untreated ground water data provided.

Outfall No.17405041-37430-0171A

POLLUTANT		ייציי א			,	POLLUTANT	MARI			*	T
AND CAS NO. (if eveilable)	Be- lieved Pre- sent	Hered Ab-	CONCENTRATION	UNITS	NO. OF ANAL- YSES	4446	Bo- lieved Pro- sont	Heved Ab-	EFFLUENT CONCENTRATION	UNITS	NO ON ANA YS
Bramide (24959-57-9)		х				Sulfide (er S)					T
Chlorine, Total Residual						Sulfite (as SO <sub>3</sub> ) (14265-45-3)					
Color						Surfections					
						Aluminum, Total (7429-90-5)					
Fluoride (16984-48-8)						Berium, Total (7440-39-3)					
Ni <del>trata -</del> Nitrite (es N)						Boron, Total (7440-42-8)				,	
Nitrogen, Total Orsenic (as N)						Cobsit, Total (7440-48-4)					
Oil and Greese	X	,	19	mg/L	1	(7439-89-6)	X		13,700	ug/L	1
Phosphorus (as P), Total (7723-14-0)						Megnesium, Total (7439-95-4)				ue/L	
Radioscrivity (TJAloha,		X				Molybdenum, Tot. (7439-98-7)	1			,	
Total	1	X		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		Manganese, Total (7439-96-5)	X		2160	ug/L	1
Total		X				Tin, Total (7440-31-5)				12	1
(3) Redium, Total		X				Titenium, Total				<del></del>	+
(4) Radium 226, Total		X				(7440-32-6)	ــــــــــــــــــــــــــــــــــــــ				
Sulfare (as 50 a) (14808-79-8)						7				•	

All data above represent worst case data (sample from Building I pit)-

Effluent Data - Part (	• Part C	. P	212	u	ent	11111	- 2
------------------------	----------	-----	-----	---	-----	-------	-----

(14808-79-8)

Outfall No. \_ MARK "X" MARK "X" POLLUTANT POLLUTANT B- | B-NO. Be | Be NO. AND CAS NO. AND EFFLUENT EFFLUENT Pre- Ab- CONCENTRATION Pre Ab CONCENTRATION OF OF Heved Heved UNITE UNITE CAS NO. ANAL. ANAL (if eveilable) (if available) YSES YSES sent ! sone i sone Bromide Sulfide (es S) (24959-67-9) Chlorine, Total Residual Sulfite (en SO<sub>3</sub>) (14265-45-3) Color Surfactants Aluminum, Total Coliform (7429-90-5) Fluonde **Barkem**, Total (16984-48-8) (7440-39-3) Nitrate-Boron, Total Nitrite (as NI (7440-42-8)Nitrogen, Total Cobett, Total (7440-48-4) Organic (at N) Oil and Iron, Total Grease (7439-89-6) Phosphorus (at P). Megnesium, Total Total (7723-14-0) (7439-95-4) Molybdenum, Tot. Radioactivity (7439-98-7)(1) Alpha, Manganese, Total Total (7439-96-5) (2) Bets. Tin, Total Total [7440-31-5] (3) Redium, Titanium, Total Total (7440-32-6) (4) Radium 226, Total Sulfate (as SO.) 885560006


### APPLICATION R PERMIT TO DISCHARGE TO A DOMES ... TREATMENT WORKS

Effluent Data · Pert D - Influent Data; Effluent Data Not Available

Outfall No. 17405041-37430-0171A

فرار والمساور والمساور	Test- ing Re- quired	-	80- Heveci Ab- pent	EFFLUENT CONCEN- TRATION	UNITS	NO. OF ANAL- YSES	POLLUTANT AND CAS NO. (If evaluable)	Test- ing Re- quired	Pre-	Be- lieved Ab- sent	EFFLUENT CONCEN- TRATION	UNITS	NO OF ANA YSE
ETALS, CYANID	E AND	TOT	LL PHI	NOLS			METALS, CYANID	E, ANI	TOT	AL PHE	NOLS		
M. Antimony. otal (7440-36-0)	X	X		126	ug/L	14	9M. Makel Total (7440-02-0)	X	X		186	ug/L	14
M. Ammie, otal (7440-38-2)	X	X		14	ug/L	14	10M. Selenium Total (7782-49-2)			X			
M. Beryttum, Otal, (7440-41-7)	X	X		. 18	ug/L	14	11M. Silver; Total (7440-22-4)			X			
iM. Cadmium. otal (7440-48-0)	X	X		7	ug/L	14	12M. Thellium, Total (7440-28-0)			x			
M. Chromium. oni (1440-47-8)	X	X		193	ug/L	14	1814, Zine, Total (7440-46-4)	x	X		622	ug/L	14
M. Copper. Otal (7550-50-6)	X	X.		709	ug/L	14	14M. Cyanide. Tetal (87-12-6)				2	ug/L	11
TM. Land, Total (7429-92-1)	х	Х		172	ug/L	14	15M. Phenois, Total	x	x		770 .	ug/L	11
M. Mercury. Otal (7439-97-6)	X	X		5	ug/L	14				<del></del>		<u> </u>	
IOXIN (NOTE:	See See	tion 1	0.5 (c) 1	O.v. of the NJPD	ES Regulatio	n prior to	completing this ite	n:I					
.3.7.8-Tetra- hiorodibenzo-P- Hozin (1764-01-6)	1			DESCRIBE RE									
C/MS FRACTION		LATIL	E CO	APOUNDS			GCMS FRACTION	V - VC	LATIL	E CON	POUNDS		
1V. Acroista (107-02-8)							17V. 1.2-Dichlero propane (78-47-4)	-		X			
2V. Acrylonitrile (107-18-1)							18V. 1.3-Dichiero propriene (\$42-75-6)			X			
8V. Beniene (71-48-2)	X	x		500	ug/L	8	19V. Ethylbensene (100-41-4)	X	x		220	ug/L	8
							20V. Methyl Bromide (74-68-9)			X			
5V. Bromotom (78-28-2)			X				21V. Methyl Chloride (74-87-3)		ŀ	X			
6V. Carbon Tetri milande (64-23-6)		X		200	ug/L	8	22V. Methylene Chloride (75-08-2)	1 45	x		11000	ug/L~	8
TV. Chioro- censens (108-90-7	) X	X		13000	ug/L	8	chloroethane (79-34-6)	X	X		200	ug/L	8
\$V.Chlorodibrom methane(124-48-1			X				24V. Tetrachiero ethylene (127-18-	X	X		2400	ug/L	8
9V.Chioroethane (75-00-3)	x	X	<u> </u>	3900	ug/	8	25V, Tobuse (108-86-3)	X	X		2300	ug/L	8
10V, 3-Chloro- ethylvinyi Ether (110-75-8)			X		1 -		Dichlerosthylene (156-60-6)	X	X		2600	ug/L	8
11V. Chiorotesm (67-44-3)	X	X		200	úg/L	8	27V. 1.1.1-12- chlorovihane (71-55-6)	X	X		500	ug/L	8
12V. Dichloro- bromomethane (75-27-4)			X				25V. 1.1.2-12- objectorisass (78-00-5)	X	X		220	ug/L	8
							29V. Trickioro- cthylene (79-01-4	, x	X		1000	ug/L	8
14V. 1.1-Dichlor ethane (75-34-3)	X	X		200	ug/L -	8					1		
15V. 1.2-Dichlor thans (107-04-2)	X	X		16000	ug/L	8	31V. Vinyi Chloride (78-01-4	X	X		560	ug/L	8
16V. 1.1-Dichlor ethylene (76-36-4	X	X		200	ug/L	8				المارات		- المستولية المستولية المستولية المستولية المستولة المستولة المستولة المستولة المستولة المستولة المستولة المستولة	
GC/MS FRACTIO	ON - 4	CID C	OMPO	UNDS			GCMS FRACTIO	ON - A	CID C	OMPOL	INDS		
IA. 2-Chloro- phenoi (95-57-6)	IA	X		20	ug/L	8	7.A. 4-Nitrophen. (100-02-7	) )		x			
2A. 2.4-Dichion phenoi (120-83-2	)		X				SA. P-Chlore-M Crasol (59-50-7)	•		X			
2A. 2.4-Dimens phenoi (105-67-9		2		30	ųg/L	8	SA. Pentachior phonoi (87-86-6)	-		X			
4A. 4.6-Dinitro- Cressi (824-52-1			X				10A. Phenoi (106-06-2)	. 7	X		40	ug/L	{8}
5A. 2.4-Dinitro	-		٦,	,			111X.3.4.8-17-	8	855	6000	)7		

Tuent 'Lata_Par	t D	<u>(Conti</u>	nued)	In dent o	iata; Er.	LIUCAC	2000 1100 111		<b>Dutt</b>	all No.	1/405041-	3/430-01	/ LA
POLLUTANT AND CAS NO.	Test-	Be- lieved	B	EFFLUENT CONCEN- TRATION	צדואט	NO. OF ANAL-	POLLUTANT AND CAB NO.	Test- ing Ro-	Bo	Be-	EFFLUENT CONCENTRATION	UNITS	NG OF ANA
(if available)	quired	, ,	SELLS.	INATION		YSES	(If evaluable)	puired		sent	TAXTOR		YSE
CAMS FRACTION	<b>- 8A</b>	SEME	UTRA	L COMPOUNDS			GCMS FRACTION	<u> </u>	BENE	UTRAL	COMPOUNDS		
S. Assemblishese (\$3-\$2-0)			X				24B. Disthyi Phthalate (84-66-2) 25B. Dimethyi	X	x		7	ug/L	8
3. Accompanyione (206-66-6)			X				Pathelete (131-11-8)	X	X		10	ug/L	8
B. Anthrospe (120-12-7)			X				268. Di-N-Butri Phtheiste (64-74-2)	-		x			
B. Bensidtne (92-87-5)			X				278. 2,4-Dinitro- tolume(121-14-2)			X			
S. Benzo (a) Asthracene (56-65-8)			X				283, 2,5-Dinitro- tehume(606-20-2)			X			
3. Benzo (4) 77000 (50-\$2-\$)							29B. Di-N-Octyl Phthaiase			x			
B. 1.4-Benzo- meranthene			X		<del> </del>	<del> </del>	(117-84-0) 308.1.2-Diphenyi hydrasine(as Aso-	-	-	X			-
(205-99-2) E. Bense (ghi)			X				beasene (122-66-7)	-	<del> </del>	<del> </del>			
(191-24-2) B. Bouso (k) Buccosthene		-	X			-	(206-44-0)	-	-	X			
(207-08-9) 10B. Bis (2-Chioro-	ļ	<del> </del>	X			-	(66-78-7)			X		-	
(111-91-1) 118. Bis (2-Chloro-			X	<u> </u>		<del> </del>	(118-71-1)	ļ	ļ	X			_
rthyi) Ether (111-44-4) 12B. Bis (2-Chloro-		ļ	X				chicrotyradiene (87-48-3)	<u> </u>	ļ	X			
(39638-32-9)			X				cyclopentacione (77-47-4)			X			
148. Bis (2-Ethyl- beryl) Phthalate (117-81-7)	X	X		53	ug/L	8	\$63. Hezschloro- ethane(67-72-1)			x			
14B. 4-Bromo- phonyi Phonyi Ether (101-55-3)			X				378, indend (1.2.2-od)Fyrene (198-19-5)			x			
15B. Butyi Benzyi Phthalate (85-68-7			X				388, Isopherene (78-60-1)			X			
16B. 3-Chloro- Raphthalent (91-58-7)			X				252. Naphthaisne (91-20-5)	X	x		7	ug/L	8
178. 4-Chiero- phenyi Phenyi							408_Nitrobensese (98-05-3)	_		-			
188. Chrysene (218-01-0)					1		41B. N-Nitro-	+	1	X			1
19B. Dibenso (a.b.	-	-	X		<del></del>		(62-78-0) 428. N-Nitrocodi- N-Propylamine	+-	+	1		<del>- </del>	
(53-70-3) 208. 1.2-Dichlero		+-	X		<del></del>		(621-64-7) 48B. N-Nitro- sostiphenylamine	-	+	X	-		
218, 1.1-Dichloro	X	X		100	ug/L	8	(86-80-6)	-		X		_	
228.1.4-Dichloro		X		10	+ ug/L	8	7000 (85-01-6)	+	+	X	<del> </del>	_	
5002000(106-46-7	)   8	X		40	ug/L	8	(125-00-0)	4		X	<del> </del>		
(91-94-1)			X				448.12.47m- chistopensene (120-83-1)			X			
GC/MS FRACTIC	)N - P	ESTIC	IDES				GCMS FRACTIC	N - P	ESTIC	DES	<del></del>		
(509-00-2)	+-		X		<del></del>		(72-20-6) 157: Endrin Aldebres			X	<del> </del>	<del></del>	
2P. Alpha BHC (219-84-6)			X				(7421-68-4)			X			
87. Bem BHC (219-46-7)	-		X				(76-44-8)	+-	+-	X	-	_	
4P. Gamma BHC (58-69-0) 5F. Dalta BHC		4_	X	:			(1024-87-8) (187,708-1242	+	4	X	<u> </u>		
(319-86-8)				<del></del>			(68449-21-9			X	<del> </del>		<del>- -</del>
(57-74-9) 7F. 4,4'-DDT	+		<u> </u>				(11097-69-1 20P. PCB-1221		4	X		ug/L	
(50-29-3) 3P. 4,4'-DDE	<del></del>		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\				(11104-28-2 21F, PCB-1212		<del></del>	_			
(72-65-0) P. 4,4'-DDD	+		<del></del>				(11141-16-6 22F. FCB-1248		<del>- -</del>	X		-	_
(72-84-8)	+		3				(12672-29-6 237. FCB-1360		_	X	<del></del>	-	-
(60-67-1) 11P Alpha Endo-	+				_		(11096-82-6 24F. PCB-1016		+	X		-	-
2P. Bets Endo- ulan (33213-65	-		_	X I		<del> </del>	(12874-11-2 257. Toxaphene			<del>-   _</del>		60008	



ITEM 4c. LINE DRAWING OF PROCESS FLOWS

Item 12. Analytical laboratory used for analysis of ground water samples (organics, metals):

National Environmental Testing (Mid-Atlantic), Inc. Thorofare, New Jersey

Form VUM-2 12/81



## NEV \_\_\_\_\_SEY DEPARTMENT OF ENVIRONMENTAL PRC. \_\_\_\_TION DIVISION OF WATER RESOURCES NEW JERSEY POLLUTANT DISCHARGE ELIMINATION SYSTEM (NJPDES)

## APPLICATION FOR PERMIT TO DISCHARGE EFFLUENT TO GROUNDWATER



	EFFLUENT TO GROUNDWATER	
Hexcel Corporation		

	Name of Applicant (s)		DEP ID No.	DEP Receipt Date
4	Application for Groundwater and other Discha	irge Permits (Check ap)	propriate type)	
[	☐·F Wastawaters from Landfills ☐ G	S - Spray Irrigation	☐ H - Overland Flow	•
ĺ			ent 🖾 Other (Specify)	Accidental Discharge
ı	List each soil mapping unit present.			
-	Urban land - Boonton complex/Ur	han land-Roonto	on River head asso	DC
-				
•				
		<del></del>		
	Geologic formation name (s) the Brunsw	rick formation		
	Shallowest overburden depth 3*			
	Supply the minimum 3.8 ft., maximum	8.8 ft. depth to the	water table using monitor	ing wells and/or borings and
	date measured. monitoring wells, 8	1/10/88, 8/11/8	8	
	Describe seasonal water table fluctuations.			· · · · · · · · · · · · · · · · · · ·
	(2.4' maximum, 0.8'	mimimum obser	ved in monitoring	wells)
	Do all springs have a continuous year-round f	low? 🗆 Yes 🗆 N	lo If no, explain	
	N/A			
	Has bedrock decomposed to saprolite? $\Box$	Yes X No If	yes, describe texture.	
	If bedrock is carbonate rock, are there any u	ndesined surface depos	minor solution shappels	e sinkhalas (Oessihal
•	N/A	Roi an ed sui race depre	ssions, solution channels o	STRENGIEST (DESCRIBE)
	If sits is within a glaciated area, check depos	its present: 🛣 Glacia	i □ Colluvi∎i 🛣	Alluvial
١.	•			
١.	A. Describe the type and texture of the un	consolidated materials.	Sand and grave	l fill, silty; shale
).	A. Describe the type and texture of the un-	consolidated materials.	Sand and grave	l fill, silty; shale
1.				

#### STATE OF NEW JERSEY

## DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES

NEW JERSEY POLLUTANT DISCHARGE ELIMINATION SYSTEM (NJPDES)
SUPPLEMENT TO THE STANDARD APPLICATION FORM CP # 1

#### **ENDORSEMENTS**

NOTICE: The following citation relates to violations of the Water Pollution Control Act.

N.J.S.A. 58:10A-10 Violations; remedies, fines and penalties; enforcement

- Paragraph (f) "Any person who knowingly makes a false statement, representation, or certification in any application, record, or other document filed or required to be maintained under this act or who falsifies, tampers with or knowingly renders inaccurate, any monitoring device or method required to be maintained pursuant to this act, shall upon conviction, be subject to a fine of not more than \$10,000.00 or by imprisonment for not more than 6 months, or by both."
- A. Endorsements by the municipality in which the project is to be located.

#### \*\*CERTIFICATION BY GOVERNING BODY

This project as proposed is in conformance with the requirements of all municipal ordinances and the Governing Body of this municipality/authority approves of the project as proposed by the applicant.

Endorsed by:	(See attac	hed letter from the letter fro	om Passalc Municipality or			COMMISSIONELS
				•		
Signed*	<del></del>					
Peint	or Type:	Name and	Tirla	· · · · · · · · · · · · · · · · · · ·	Date	
, , , , , , , , , , , , , , , , , , ,	J. 1986.	rieme enc	,,,,,,		Dete	
	-	e Governing Body _		<del></del>		
	ull resolution a	such authority to sig oproved by the Gove			•	

#### " NOTE:

Where a municipality has created a sewerage authority, utilities authority, municipal utilities authority or a joint meeting responsible for sewers in the area, the endoresement of the affected sewerage authority (ies) is requested for a sewer extension approval.

1	This project or activity, as proposed, has be the Areawide Water Quality Management of the made by either the appropriate design appropriate).	Plan (WQMP). The follow	ing determination has
	☐ Project is consist ☐ Project is not incons	consistent with Plan*	
	Name of Project	Auti	norized Signature
	Name of Plan	Name (Print or	Type) Date
,	Name of Agency	<u> </u>	Title
	A finding of not inconsistent has the same effect A finding of inconsistent must be accompanied to		
	Sewer systems (interceptors, collectors, punits or more and industrial/commercial a having flows of 25,000 gpd or more, do nare extensions or modifications to existin is greater than 50 units or 25,000 pgd, as (N.J.A.C. 7:15-1 et seq.)  Sewer systems to serve less than 50 units determination but must still be consistent Endorsement by the Sewerage Agency in	cump stations) for residentiand mixed use (including require consistency determined projects where the cumulappropriate, shall require and the state of less than 25,000 gpd dot with approved WQM/201 which the project is to be THE 201 SEWERAGE AGENCE with the requirements of Facilities Plan and the Go	al developments of 50 esidential) developments inations. Projects that lative total for the project a consistency determination not require a consistency plans.  located.  CY  of all Sewerage Agency rules overning Body of this Sew-
	Sewer systems (interceptors, collectors, punits or more and industrial/commercial a having flows of 25,000 gpd or more, do nare extensions or modifications to existing greater than 50 units or 25,000 pgd, as (N.J.A.C. 7:15-1 et seq.)  Sewer systems to serve less than 50 units determination but must still be consistent.  Endorsement by the Sewerage Agency in CERTIFICATION BY  This project as proposed is in conformance and regulations and the applicable "201"	cump stations) for residentiand mixed use (including require consistency determined projects where the cumulappropriate, shall require appropriate, shall require at with approved WQM/201 which the project is to be THE 201 SEWERAGE AGENCE with the requirements of Facilities Plan and the Goproposed by the applicant.	al developments of 50 esidential) developments inations. Projects that lative total for the project a consistency determination not require a consistency plans.  located.  ICY  If all Sewerage Agency rules overning Body of this Sewerage Agency rules over the sewerage Agency r
	Sewer systems (interceptors, collectors, punits or more and industrial/commercial a having flows of 25,000 gpd or more, do nare extensions or modifications to existing greater than 50 units or 25,000 pgd, as (N.J.A.C. 7:15-1 et seq.)  Sewer systems to serve less than 50 units determination but must still be consistent by the Sewerage Agency in CERTIFICATION BY  This project as proposed is in conformant and regulations and the applicable "201" erage Agency approves of the project as proposed is project as proposed is project as proposed is project as proposed is project as proposed	cump stations) for residentiand mixed use (including require consistency determined projects where the cumulappropriate, shall require appropriate, shall require at with approved WQM/201 which the project is to be THE 201 SEWERAGE AGENCE with the requirements of Facilities Plan and the Goproposed by the applicant.	al developments of 50 esidential) developments inations. Projects that lative total for the project a consistency determination not require a consistency plans.  located.  ICY  If all Sewerage Agency rules overning Body of this Sewerage Agency rules over the sewerage Agency r

В.

Lada 201

ioners)

D. Endorsement by owner of the treatment plant receiving the wastewater.

#### CERTIFICATION BY OWNER

#### SEWAGE TREATMENT FACILITY

I (we) hereby certify that the sum of the DEP currently approved projects plus the actual metered flow for the (name of the plant) does not exceed the present design capacity. I (we) further certify that with the addition of this project the approved design capacity will not be exceeded. Supple

with the addition of this project, the approved design capacity will not be exceeded. Further I (we) certify that the treatment plant is currently complying with its New Jersey Pollutant Discharge Elimination System permit (NPDES) requirements and should continue to do so with the additional flow from this project.

Endorsed	by <u>(See attach</u>	ed letter from Passaic Val	lley Sewerage Commis
		Name of Treatment Plant	
Signed*			
,			
	Print or Type:	Name and Title	Date
If the own	er is a public agency, c	ite authorization to sign for the public	cly owned treatment works
		Sul	bmit the resolution granting
		n resolution granting authority to sign endorsing the project must be submitt	
Pursuant	to N.J.S.A. 58:104	A-6 and N I A C 7:14A-12 1 at e	ea no person may build

- E. 1) Pursuant to N.J.S.A. 58:10A-6 and N.J.A.C. 7:14A-12.1 et seq., no person may build, install, modify or operate any facility for the collection treatment or discharge of any pollutant, including any "extension" as defined in the regulations without the prior approval of the Department.
  - Approvals, permits, service contracts or other reservation of capacity issued or agreed to by any participating municipality or sewerage agency does not constitute the required approval of the Department.
  - 3) For computation of actual flow at the sewer plant, the average flow processed by the facility for the four (4) month period immediately proceeding the submission shall be used. Under NJPDES Regulations no application shall be submitted if the waste treatment facility is not meeting its discharge permit limits. Under Sewer Ban Regulations, no project is to be submitted if the sewer plant is committed to 100% of its design capacity.
  - The owner of the sewage treatment plant shall submit to NJDEP on a quarterly basis the status of sewage flow entering the plant including all outstanding approved sewer extension permits not yet on line. These reports will be used for tracking capacity at the receiving sewage treatment plant. See Form WQM-007.

10.	C. (	Describe the in	teraction of discharges on these mat	erials. <u>Degrac</u>	lation of gro	ound wate	er qualii	У
11.		ny undergroun ollowing:	d and/or surface mines exist within	ሄ mile of the faci	lity boundaries?	☐ Yes	▼ No L	yes, answer
	Α.	The minimum	and maximum depth of surface or d	eep mines within	% mile is			····
	В.	Describe the m	nine's mineral resource extracted, so	urce of data, most	recent date of act	ive mining, i	and extent o	f mined-out area.
				Yes No				
12.	Desc	ribe all perche	d or special water table conditions	No perched;	confined wa	ter tabl	e condit	ions in
		lower aqu	ifer	<del> </del>	. <u>.</u>			
13.			ing numbers keyed to water supply sheets, if necessary.)	map for all ground	twater monitoring	points for a	pprovai.	
	мс	NITORING	DRILLING	CAS		LOCA	TIONT	SURFACE
		POINT	METHOD DEPTH	SIZE & DEPTH	IONES" PERFORATED	LATITUDE	LOMBITUDE	
	E	xtensive 1	ground water quality dat	a has alread	y been submi	tted to	NJDEP as	part of
	E	CRA requi	rements. Please contac	t Case Manag	er, Steve Ma	ybury fo	r report	s.
								·
			es, minutes, seconds					-
. 14.			pe at the proposed site is 0 per	v	ding present			
15.	. D <del>es</del>	cribe the occu	rrence of folding as it applies to the	site. NO TOT	ding present			
							·	
			and plunge of fold axis					
	В.	Location of a	site in relation to local structure				-	<del></del>
	C.	Attitude of:	(Attach edditional sheets as necessa	nry.)				
			STRIKE *		DIP *	<del></del>	FO	RMATION *
		a. Bedding						
		b. Jointing		·				
		c. Cleavage						
		d. Faults						
		* Index and	d key each to a corresponding numb	er on geologic ma	o.			
	D.	Are joints of	pen? Yes No What	t is the respective	spacing of these jo	oints?		

	N/A				
<b>A</b> .	Indicate if there are soil horizons that may	y not be permeable end	ugh for the rate o	f wastewater appli	cation, and describe
	how the problem will be overcome.  N/A				·
	* •				
В.	AFTER CONSULTATION WITH THE DI (Attach additional sheets as necessary. Or			nil analysis:	
	PARAMETERS	BORING #	BORING #	BORING .	METHOD REFERENCE
	Total Kjeldahi Ni <del>trogan (mg/l)</del>	Extensive s	oil quality	data has alm	eady been
	Total Organic Carbon (mg/l)			T	requirements.
	pH (Standard Units)	Please conta		ager, Steve	Maybury for
c.	Electrical Conductivity (micromhos/cm	reports.	act Case Man	ager, Steve	
c.	Electrical Conductivity (micromhos/cm	reports.	act Case Man		
	Electrical Conductivity (micromhos/cm	reports.  dept and how depth	was determined.	N/A operational dates	
Wi	Electrical Conductivity (micromhos/cm  If fragipan is present, Indicate shallowest	reports.  dept and how depth	was determined.	N/A operational dates.	
Wi	If fragipan is present, Indicate shallowest ill this be an all-sesson operation?	reports.  dept and how depth	was determined seasonal, provide rom	N/A operational dates. to in 1903)	
Pr M	If fragipan is present, Indicate shallowest ill this be an all-sesson operation?	reports.  dept and how depth of the second s	sessonal, provide rom	operational dates.  to in 1903)  Maximum in Au	igust, 1955)
Pr M	If fragipen is present, Indicate shallowest ill this be an all-season operation?    Year recipitation (in./yr.) Maximum 69.10 lonthly precipitation (in./mo.) Maximum tation of record, length of historical record	reports.  dept and how depth of the second s	seasonal, provide rom	operational dates.  to in 1903)  faximum in Au	igust, 1955) on; ~ 100 yea
Pr M St	If fragipan is present, Indicate shallowest ill this be an all-sesson operation?   The second conductivity (micromhos/cm) and sesson operation?   The second	reports.  dept and how depth of the second s	seasonal, provide  rom  (Maximum  ge 3.53 (1)  al Weather Seasonal, provide  deficience 5, 10, 25, 5	operational dates.  to in 1903)  Maximum in Au ervice Static	igust, 1955) on; ~ 100 yea
Pr M St	If fragipan is present, indicate shallowest ill this be an all-season operation?   The recipitation (in./yr.) Maximum 69.10 in this precipitation (in./mo.) Maximum tation of record, length of historical record (Flooding information not yet art or all of site would be inundated once in	reports.  dept and how depth of the second s	was determined.   operational dates to in 1903) Maximum in Au ervice Statio	ngust, 1955) on; ~ 100 yea ever) Service Stati	

24.	AFTER CONSULTATION WITH THE DEPARTMENT, complete this table for background water quality, img/l, unless specified
	Additional testing may be required.)

Explain methodology of:	Not applicable	
a. Sample Collection b. Sample Preservation and Shipment c. Analytical Procedures		
d. Chain of Custody		

PARAMETER	MONITORING POINT #	MONITORING POINT #	MONITORING POINT#
Temperature (°C)			
pH (Standard Units)			
Alkalinity			
Total Dissolved Solids			
Suspended Solids			
Total Dissolved Solids			
MBAS			
BOD <sub>5</sub>			
COD			
Specific Conductance (Micromhos/cm)			
Total iron			
Manganese -			·
Aluminum -			
Copper			
Zine			
Nickel			
Chromium			
Sulfate			
Chloride			
Fluoride			·
Total Kjeldahl Nitrogen			
Ammonium Nitrogen			
Nitrate Nitrogen			
Phosphorus			
Total Organic Carbon (TOC)			
GC or GC/MS Scan*			

<sup>\*</sup> This is required for all facilities producing, processing, storing, or disposing of organic chemicals.

(Use additional sheets as necessary.)

25.	Describe the origin, volume, treatment (prior to discharge) and mode of transportation of effluent which is or will be land-applied or discharged to a system.				
	Not applicable				
26.	AFTER CONSULTATION WITH THE DEPARTMENT, respond as indicated. For G, H, I and J complete Items 1-14 of Table "A".				

26. AFTER CONSULTATION WITH THE DEPARTMENT, respond as indicated. For G, H, I and J complete Items 1-14 of Table "A"

When requested by the Department, complete full table. (Report in mg/I, unless specified. — Additional information may be required.)

TABLE "A"

Not applicable

PARAMETER	ANALYSIS (RAW)	ANALYSIS (TREATED)	*LBS/ACRE	LAB & DATE PERFORMED
1. Ammonium-Ni <del>trogen</del> (NH <sub>4</sub> -N)				
2. Nitrate-Nitrogen (NO <sub>3</sub> -N)				
3. Organic Nitrogen (N)				
4. Total Kjeldahi Nitrogen (TKN)				
5. Biochemical Oxygen Demand (BOD <sub>5</sub> )				
6. Chemical Oxygen Demand (COD)			•	
7. Total Dissolved Solids (TDS)				
8. Suspended Solids (TDS)				·
9. pH (Standard Units)				
10. Specific Conductance(micromhos/cm)				
11. Calcium (Ca)				• .
12. Magnesium (Mg)		·		
13. Sodium (Na)				
14. Phosphorus (P)				
15. Total Organic Carbon (TOC)				
16. Volatile Solids (% of TS)				
17. Potassium (K)				
18. Iron (Fe)				
19. Arsenic (As)				
20. Cadmium (Cd)				
21, Cooper (Cu)				·
22, Leed (Pb)				
23. Mercury (Hg)				
24. Nickel (Ni)				
25. Zinc (Zn)				
26. Aldrin				
27. Dieldrin				

#### 26. TABLE "A" continued

27.

28.

(RAW)	[TREATED]	*LBS/ACRE	LAB & DATE PERFORMED
_			
		•	·
	·	;	
	_		
ijacent lands?	☐ Yes <b>823</b>	No If yes, ex	plain
	400 feet of area	400 feet of area receiving the w	400 feet of area receiving the waste.





#### State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

# STANDARD APPLICATION FORM (CP #1) CONSTRUCTION PERMIT NUMBER 1 CONSTRUCTION AND DISCHARGE PERMITS

READ REQUIREMENTS - FOLLOW INSTRUCTIONS CAREFULLY - PLEASE PRINT OR TYPE

ermanent Legal Address 11711 Dublin Road ty or Town Dublin ederal Tax LD. or S.S. #		CA.	7- O-4- 0/564	
ederal Tax LD. or S.S. #		CA	7- 0-d- 0/566	
			ZIP C008 34300	<u>;                                    </u>
oplicant/Operator				
	<del></del>	Telephone (	)	
ermanent Legai Address				
ity or Town				
o-permittee*		Telephone (	)	
ermanent Legal Address	<del></del>			
ity or Town	State		Zip Code	
ocation of Work Site Lod1, NJ				
ame of Facility, if applicable Fine Organics Co	rporat	ion		
ddress (Street/Road) 205 Main Street				
ot No. 10A Block No. 81A		E.P.A. I.D. #_N	NJD010963924	
City or Town Lodi	State	NJ	Zip Code 0764	4
Municipality_Lod1	County	Bergen		
f applicable, give name of: Engineer/Surveyor/Well Driller/	Geologis	VSoil Scientist (S	Specify)	
Name John Schroeter		N.J. Lice	nse No. N/A	
Name of Firm, if employeeENVIRON				
Address (Street/Road) 5820 Shellmound Str	eet, S	uite 700		
City or Town Emeryville			Zip Code 946	08
Municipality	County	/		
Telephone (415) 655-7400				
Di dan be Canada	Untor			
This is an application for Discharge to Ground (Name of permit, certification, approval, jurisdictional determinant		or exemption S	so ltom a new na	Permit

- \* This section must be completed by any local governmental unit when it is a Co-permittee. (Not required for Treatment Works Approvals.)
- \*\* Sewer System Applications (Treatment Works Approvals) should be made on behalf of the eventual owner of the proposed system.

APPLICATION STATUS (Pending -

(Pending -PERMIT TYPE (Use additional sheets if necessary) Approved) PROJECT\_# 9.17 Temporary Water Lowering..... Discharge to PVSC Construct/Modify, Operate Public Potable Water Works......Approved Permit . #17405042\_ 9.19 Connection between an approved water supply and non-approved supply...... 9.20 Sewer Systems: Collectors, Pump Station, etc..... 9.21 Exemption from Sewer Ban..... ECRA Discharge to Ground Water 86009 **ECRA** 86009 9.24 Air Quality Permits (Specify). Air Cleanup Apparatus Pending 9.25 Delaware and Raritan Canal Review Zone "Certificate of Approval"..... 9.27 Green Acres Program Review "Certificate of Approval" (Specify projects) 9.28 Other State agencies' permits..... 9.29 Local Permits..... 9.30 Federal Permits..... Brief Description of the Proposed Project and Intended Use: Ground water will be extracted from upper and lower aquifers below the facility. Ground water will be treated onsite for removal of volatile organic compounds. Ground water treatment will consist of an air stripper, a filtration unit, and a granular activated carbon adsorption unit. The air emissions from the stripper will be incinerated. Treated ground water will be discharged to the PVSC sever system. There will be no discharges to surface

water or ground water.

	i, the Application wher	or Applicant/Operator (when					
	the owner of the facility and the operator of the facil	lity are distinct parties)					
	or Co-permittee (when the Co-permittee is a local governmental unit)						
	authorize to act as my agent/representative in all matters pertaining to my application the following persor						
	Name	Phone : : :					
	Address	County					
	City or Town	StateZip Code					
	Occupation/Profession						
	<b>1</b> - 1						
		(Signature of Applicant/Owner)					
		(Signature of Applicant/Operator)					
		(Signature of Co-permittee)*					
	AGENT'S CERTIFICATION	, ,					
	Sworn before me thisday of						
	19	I agree to serve as agent for the above-mentioned applica					
	Notary Public	(Signature of Agent )					
	, today t came	(Ogradio di Agoitt)					
 >.	PROPER CONSTRUCTION AND OPERATI	ON CLAUSE					
••	(Sewer Extensions, Treatment Works Approval, W						
	I, the Applicant/Owner A. William Nos	or Applicant/Operator (when the ow					
	of the facility and the operator of the facility are d	istinct parties)					
	or Co-permittee (when the Co-permittee is a local	governmental unit)					
	agree that the works will be properly constructed a	and operated in accordance with the engineering plans and nder which approval is granted by the State Department of					

(Signature of Applicant/Operator)

(Signature of Co-permittee)\*

Not required for Sewer System Application (Treatment Works Approvals)

۲.	(Sewer Extensions, Treatment Works Approvals)	RUCTION OF THE PH	OPOSED FACILITY	N/A
à	Name of Developer			
	Phone			
	Address	-County		
	City	State	Zip Code	
	Contact Person	•		